



Phare Outdoor Garden Anti-Glare Spike Light - MR16 - Matte Black

Brand: CLA LIGHTING • Product SKU: CLA-PHARE07M-1287 • RRP: \$116.25



For a safe and creative outdoor space
Low voltage connection
Anti-glare acrylic lamp holder
Easy to install and use



PRODUCT DESCRIPTION

This Phare Outdoor Spike Light adds a creative and safe atmosphere to your exterior landscape. It's built with an anti-glare acrylic diffuser to reduce eye strain and provide even light distribution. Tested and approved to IP65 (dust tight and weather proof), this spike light is perfect for long-term outdoor use. *Globe, transformer, and switch controls are not included.*

FEATURES

- SLEEK - Built with a matte black finish to suit modern exterior landscapes
- CONVENIENT - Can be repositioned anytime using its sharp spike, ensuring an elegantly lit and safe outdoor space (Globe not included)
- QUALITY - Dust tight and weather proof to IP65 rating (Install with waterproof connections and circular cable to avoid moisture ingress)
- VISUAL COMFORT - Built with clear acrylic diffuser and anti-glare feature, so light is evenly distributed and glare is minimised
- ENERGY EFFICIENT - Safe to install and use; requires two-wire low voltage connection (Connector not included)

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Specifications

- **Unit Height:** 535mm
- **Height of Spike:** 395mm
- **Height of Head:** 140mm
- **Diameter of Head:** 60mm
- **Type of Head:** Fixed
- **Globe Included?:** No
- **Globe Connection:** 1 x MR16
- **Globe Compatibility:** Accepts LED or max. of 20W halogen globe
- **Cable Length:** 1100mm (Included in the box)
- **Material:** Aluminum
- **Finish:** Matte black (Powder coated)
- **Material (Diffuser):** Clear acrylic
- **Input Voltage Range:** 12-25V AC/DC
- **IP Rating:** IP65 (Dust tight and weather proof)
- *To maintain the IP rating, use circular cable in junction*
- *For parallel and single connection, use an appropriate IP68 connector ([CONN01](#), [CONN02](#))*
- *Globe, transformer, and switch controls are not included.*

Choosing the Right LED Driver for Your Outdoor Light

Complete your outdoor lighting setup with compatible MR16 bulbs and waterproof control gears from CLA Lighting. Since MR16 globes run on low voltage (often at 12V), they require a power transformer to make sure they work properly. When choosing a transformer or LED driver, you have to consider the number of bulbs you want it to power multiplied by the wattage. It's advised that the total wattage of all bulbs **should not exceed 80% of the driver's wattage**. For example, if you choose to power 4 x 6W MR16 globes (total of 24W) from one LED driver, a 30W driver is required. See table below for a more detailed reference.

Recommended Globes	Type	Wattage	Recommended Control Gears to Run Globes	Type	Min-Max Load	Qty of Globe/s per Control Gear
CLAMR16FNVCSH35W	Halogen	35W	ETH50.302VA	Transformer	10W-40W	1
MR1601A MR1602A	LED	6W	ETH50.302VA	Transformer	10W-40W	2-6
			CLA111011	LED Driver	1-8W	1
			CLA113011		3-24W	3
			CLA115011		5-40W	5
			CLA1110011		10-80W	10
			CLA1115011		15-120W	15
			CLA1120011		20-160W	20
			OTTER1		1.2W-9.6W	1
			OTTER5		15-120W	15

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*




Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Dimensions



Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER