

## Linktri LED T5 Batten Light - Tri-Colour - Slim Linkable - 310mm

Brand: CLA LIGHTING • Product SKU: CLA-LINKTRI01-1432 • RRP: \$26.10



### PRODUCT DESCRIPTION

The Linktri LED batten light is a cost-efficient lighting that can be connected with other Linktri models to get a continuous light indoors. Designed with a slimline profile, this all-in-one lighting solution is perfect for new installations or retrofit. Built with a slide switch so you can adjust the colour temperature at any time. For a brighter and longer batten light, we recommend the [1175mm \(18W\)](#) version. Flex and plug sold separately.

### FEATURES

- **SLIMLINE** - Compact design with an elegant white powder-coated finish and reliable heat management
- **WIDE APPLICATION** - Quality lighting solution perfect for garages, corridors, utility rooms or work areas
- **EXTENDABLE** - Get a continuous light output by linking multiple battens (maximum of 150W can be connected)
- **TRI-COLOUR** - Colour temperature can be easily changed via the slide switch to suit any environment
- **QUICK FIT** - Easy installation as new or retro-fit on ceiling or other surfaces (Hardwire connecting cable included; flex and plug sold separately)

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee\*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

## ADDITIONAL INFORMATION

### Specifications

- **Dimensions:** 310mm (L) x 22.6mm (W) x 37mm (H)
- **Edge-to-Edge Length:** 322±1mm
- **Connecting Cable Length:** 15mm, hardwire
- **Flex and plug:** Sold separately [here](#)
- **Weight:** 0.11kg
- **Housing:** Powder-coated aluminium
- **Input Voltage:** 220-240V AC 50/60Hz
- *Constant current inbuilt driver included*
- **Energy Consumption:** 4W
- **CRI:** >80
- **Diffuser:** PC
- **Heat Sink:** Aluminium
- **CCT and Lumens:** Changeable 3000K (380lm) / 4000K (420lm) / 5700K (400lm)
- *Changeable colours via slide switch on side*
- **LED Chips:** SMD2835
- **Power Factor:** ≥0.9
- **Ambient Temperature:** -20 to 40 degrees Celsius
- **Beam Angle:** 150 degrees
- **Lifetime:** 30,000 hours regular home use
- **Mounting:** Surface
- **IP Rating:** IP20 (For indoor use only)
- **Dimmable?:** No
- **Suitable for 2-way Switching?:** Yes
- **Suitable With Microwave & Motion Sensor?:** Yes

All LINKTRI models can be used together (**Maximum Connection Wattage: 150W**)

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee\*




Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

## ADDITIONAL INFORMATION

### Dimensions



Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee\*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER