


Elanora Stainless Steel Bollard Light - E27 - 500mm Black

Brand: CLA LIGHTING • Product SKU: CLA-CLA1615SBL-1665 • RRP: \$101.70



PRODUCT DESCRIPTION

This stainless steel bollard light is a great addition to your outdoor pathways and landscapes. It's a safe and aesthetic way to light them up at night. It's tested and approved to IP44 (splash proof) so it is designed for Australian weather conditions. It is fitted with a lamp holder, which can be customised by installing your preferred E27 bulb as long as its lighting power does not exceed 18watts and the dimensions of the globe does not go over a diameter of 53mm and a height of 145mm. Globe is not included.

Also comes in the following variations: [1000mm Black](#), [500mm Stainless Steel](#), and [1000mm Stainless Steel](#).

FEATURES

- LED READY - Comes with an E27 lamp holder that is compatible with an energy-saving LED globe (Not included upon purchase)
- DESIGNED FOR EASY WAYFINDING - Its 500mm height makes it easier to see the ground on pathways and landscapes
- SPLASH PROOF - The IP44 rating means it can effectively withstand Australian weather conditions
- BOLD - Its black finish makes it an elegant and bold pathway or landscape centerpiece
- MULTI-PURPOSE - Both a functional and decorative outdoor lighting solution for pathways and landscapes

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Specifications:

- **Height:** 500mm
- **Body Diameter:** 101mm
- **Mounting Plate Diameter:** 140mm
- **Weight:** 1.00KG
- **Globe Connection:** 1 x E27
- **Globe Included?:** No
- **Inside Louvre Diameter:** 53mm
- **Inside Louvre Height:** 145mm
- **Globe Compatibility:** Accepts LED or max. of 18W halogen globe
- **IP rating:** IP44
- *To maintain the IP rating please use circular cable in junction*
- *For parallel and single connection, we recommend using an appropriate IP68 connector (CLA Connector: [CONN001](#) & [CONN002](#))*
- **Input voltage range:** 100-240V AC 50/60Hz
- **Bollard Design:** Round
- **Material:** 304 Stainless Steel
- **Housing Finish:** Black (powder coated)
- **Mounting plate material:** Stainless Steel
- **Mounting:** Solid surface such as a concrete path or sturdy timber decking
- **Diffuser:** Clear
- *Not suitable for dimming*
- *Not suitable for 2-way switching*
- *Bollard lights cannot be used inground*

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*




Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Dimensions:



Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER