

## Hathor LED Bollard Light - 13W Warm White - Triangle - 800mm Grey

Brand: CLA LIGHTING • Product SKU: CLA-HATHOR3-1670 • RRP: \$292.55



### PRODUCT DESCRIPTION

This LED bollard path light is a preferred addition to pathways and landscapes. It has a die-cast aluminum construction that helps it last in outdoor settings for long periods of time. It uses energy-efficient LED chips to produce 3000K warm white light.

Also available in [500mm](#).

### FEATURES

- **ENERGY EFFICIENT** - This bollard light uses LED technology, which makes it highly efficient
- **DUST AND SPLASH PROOF** - The IP54 rating makes it a good lighting solution for outdoor settings
- **DEPENDABLE** - The 800mm height provides additional security to your pathways and landscapes
- **STYLISH** - Complements most modern outdoor styles with its triangle design and grey finish
- **FUNCTIONAL** - It produces a 3000K warm light that gives you a cozy and relaxing feeling while strolling outside your house

*Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.*



Money Back Guarantee\*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

## ADDITIONAL INFORMATION


### Specifications:

- **Height:** 800mm
- **Width:** 167mm
- **Depth:** 111mm
- **Weight:** 2.60KG
- **LED Chip Type:** 2835
- **Kelvin:** 3000K
- **Lumens:** 242.19LM
- **Beam Angle:** 120 degrees
- **Wattage:** 13W
- **IP Rating:** IP54
- *Inbuilt constant current driver included*
- *To maintain the IP rating please use circular cable in junction*
- *For parallel and single connection, we recommend using an appropriate IP68 connector (CLA Connector: [CONN001](#) & [CONN002](#))*
- **Input Voltage Range:** 100-240V AC 50/60Hz
- **Bollard Design:** Triangle
- **Material:** Aluminium
- **Finish:** Grey (powder coated)
- **Mounting Bracket Material:** Aluminium
- **Mounting:** Solid surface such as a concrete path or sturdy timber decking
- **Power Factor:** >0.5
- **CRI:** >80
- **Ambient Temp:** -20 to 50 degrees Celsius
- **Lifetime:** 30,000 hours
- *Not suitable for dimming*
- *Suitable for 2-way switching*
- *Suitable for use with sensors*
- *Bollard lights cannot be used inground*



## ADDITIONAL INFORMATION

### Dimensions:



*Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.*



Money Back Guarantee\*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER