



Seker LED Bollard Light - 13W Warm White - 300mm Grey

Brand: CLA LIGHTING • Product SKU: CLA-SEKER1-1676 • RRP: \$203.45



PRODUCT DESCRIPTION

This LED bollard light is a convenient addition to pathways and landscapes. It adds security to your house exterior while also becoming a stylish decorative centerpiece. Its aluminum construction ensures that it is strong enough to withstand harsh outdoor conditions. It uses energy-efficient LED chips to produce 3000K warm white light.

FEATURES

- ENERGY EFFICIENT - This bollard light uses LED technology, which makes it highly efficient
- DESIGNED FOR AUSTRALIAN WEATHER - Its IP65 rating indicates that it is dust tight and weather proof, which is perfect for outdoor settings
- DESIGNED FOR EASY WAYFINDING - Its 300mm height makes it easier to see the ground on pathways and landscapes during the night
- STYLISH - Gives a stylish touch to any house exterior with its grey finish and rectangular design with rounded corners
- FUNCTIONAL - It produces a 3000K warm light that gives you a cozy and relaxing feeling while strolling outside your house

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Specifications:

- **Height:** 300mm
- **Width:** 152mm
- **Depth:** 121mm
- **Weight:** 1.30KG
- **LED Chip Type:** 7070
- **Kelvin:** 3000K
- **Lumens:** 530LM
- **Beam Angle:** 253.9 degrees
- **Wattage:** 13W
- **IP Rating:** IP65
- *To maintain the IP rating please use circular cable in junction*
- *For parallel and single connection, we recommend using an appropriate IP68 connector (CLA Connector: [CONN001](#) & [CONN002](#))*
- **Input Voltage Range:** 100-240V AC 50/60Hz
- **Bollard Design:** Rectangle
- **Material:** Aluminium
- **Diffuser:** PC
- **Finish:** Grey (Powder coated)
- **Mounting:** Solid surface such as a concrete path or sturdy timber decking
- **Power Factor:** >0.5
- **Ambient Temp:** -20 to 50 degrees Celsius
- **Lifetime:** 30,000 hours
- *Comes with stainless steel screws*
- *Not suitable for dimming*
- *Suitable for 2-way switching*
- *Suitable for use with sensors*
- *Bollard lights cannot be used inground*

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*




Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Dimensions:



Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER