


Elanora Louvre Bollard Light - E27 - 304 Stainless Steel - 450mm

Brand: CLA LIGHTING • Product SKU: CLA-BORDA4-1708 • RRP: \$77.05



PRODUCT DESCRIPTION

This bollard light is one of the most sought-after additions to outdoor landscapes and pathways. Its stainless steel construction ensures that it remains sturdy when installed outside of the house. It's tested and approved to IP44 (splash proof) so it is designed for Australian weather conditions. It is fitted with a lamp holder, which can be customised by installing your preferred E27 bulb as long as its lighting power does not exceed 18 watts and its dimensions does not exceed a diameter of 115mm and a height of 160mm. Globe is not included.

FEATURES

- LED READY - Comes with an E27 lamp holder that is compatible with an energy-saving LED globe (Not included upon purchase)
- DESIGNED FOR EASY WAYFINDING - Its 450mm height makes it easier to see the ground on pathways and landscapes
- SPLASH PROOF - The IP44 rating means it can effectively withstand Australian weather conditions
- SOPHISTICATED - Its electroplated stainless steel finish and louvre design provide a modern feel to your pathway or landscape
- CORROSION-RESISTANT - Its 304 stainless steel construction ensures that its quality does not degrade due to rusting

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Specifications:

- **Height:** 450mm
- **Body diameter:** 115mm
- **Weight:** 0.80KG
- **Globe connection:** 1 x E27
- **Globe included?:** No
- **Diffuser material:** PC
- **Diffuser dimensions:** Ø115mm x 160mm
- **Diffuser color:** Opal
- **Globe compatibility:** Accepts LED or max. of 18W halogen globe
- **IP rating:** IP44
- *To maintain the IP rating please use circular cable in junction*
- *For parallel and single connection, we recommend using an appropriate IP68 connector (CLA Connector: [CONN001](#) & [CONN002](#))*
- **Input voltage range:** 220-240V AC 50/60Hz
- **Bollard design:** Round with Louvre
- **Material:** 304 Stainless Steel
- **Housing finish:** Stainless Steel (electroplated)
- **Mounting plate diameter:** 110mm
- **Mounting plate material:** Metal and Plastic
- **Mounting:** Solid surface such as a concrete path or sturdy timber decking
- *Not suitable for dimming*
- *Not suitable for 2-way switching*
- *Bollard lights cannot be used inground*

Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*




Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER

ADDITIONAL INFORMATION

Dimensions:



Information and prices shown in this document may change without prior notice. Please refer to our website for the most accurate, up-to-date information about this product.



Money Back Guarantee*



Enjoy Free Freight Protection



Earn Reno Dollars as a MEMBER